

The individual all-rounder for smart streaming entertainment

Pre-calibrated Ultra HD OLED panel with HDR and Dolby Vision

Integrated Loewe dr+ hard disk drive with 1 terabyte recording capacity

Super fast Loewe os with comfortable Loewe remote control

Netflix, YouTube, Disney+, Apple tv+, Zattoo, HD+ and more

Support of Alexa Skills, Miracast, Apple AirPlay and DTS Play-Fi

Innovative audio solutions from invisible sound to klang bar i and beyond













































LOEWE. was found by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923. Today we still design, develop and produce consumer electronics – Made in Germany.











The individual all-rounder for smart streaming entertainment





Superior picture quality

Brilliant TV experience with Ultra HD OLED panels and a full range of HDR formats including Dolby Vision. Delivered by the latest W-OLED generation from LG Display with best performance, deepest black and lowest reflectivity.

Pre-calibrated in our own factory at the headquarters in Kronach, Germany to meet all relevant movie picture and colour standards for a perfectly natural and impressive image reproduction right out of the box in your living room.

Integrated digital recorder

Loewe dr+ system for comfortable recording: A premium EPG, a triple tuner, an integrated 1 TB HDD, native VoD apps and HbbTV media libraries allow timeshift and recording DVB in the background while watching streaming content or movies from the archive.

The Loewe chassis SL850 is based on a high performance main CPU and runs with Loewe os8 for fast operation and full support on features, apps and connectivity standards, including two HDMI 2.1 inputs with UHD VRR @ 120 Hz - perfect for gaming consoles with fast graphics.

Super fast smart streaming

The super-fast Loewe os8 offers all important VoD services like Netflix, YouTube, Disney+, Apple tv+, Freeview Play, HD+, Zattoo, FIFA+ and many more. It also supports Apple AirPlay and DTS Play-Fi for great network interaction and connectivity with smart home and multiroom audio devices.

The comfortable alu-made Loewe remote offers six direct streaming buttons plus control via the illuminated cursor field. Paired by Bluetooth, it also supports voice commands on your TV. Simply activate the microphone by the push of a button.





Sophisticated 360° design

Design, construction and quality Made in Germany: A timeless look, with magnetic rear covers, cable management, hidden connections, a basalt grey spraypainted and partly fabric covered rear cabinet is without compromise and expresses pure elegance.

The inner mechanical construction is both clever and robust, with solid VESA bolts funded in the metal main structure of the set and a massive table plate including a rotatable stand with all the way concealed cable routing



Individual modular solutions

Optional accessories allow the personal configuration of your own home entertainment center to perfectly fit your needs and living space.

The Loewe table stand i can be upgraded with the spacer i to place Loewe klang bars in front of the screen without hindrance. The Loewe floor stand flex, pure or with klang bar and equipment boards allows numerous different use-cases. The unique Loewe floor2ceiling stand creates its own impressive style. Different Loewe wall mounts, also for the klang bars, support any wall installation.

Loewe wireless digital audiolink, together with the Loewe klang system components, allows expandable sound solutions from active soundbars, with one or many subwoofers, to wireless speakers for multichannel home cinema or multiroom audio.

Innovative sound solutions

Innovative modular audio solutions from invisible sound to klang bar i and beyond fit to every use-case and situation. Loewe in-house audio development and sound tuning together with Dolby Atmos ensure best acoustic reproduction and movie experience at any time.

Loewe invisible sound with pure monitor-look is the solution for design-aficionados or smaller rooms. Or attach the Loewe klang bar i and enjoy 80 watts, a wider stereo stage and best speech intelligibility. Adding the wireless Loewe klang sub1 makes it a 2.1 system with more volume and bass.

Or connect a Loewe klang bar via HDMI eARC plus one or several Loewe klang sub5 and klang mr speakers to create a true multichannel home cinema via Loewe wireless digital audiolink

The individual all-rounder for smart streaming entertainment

Achievements







"The new Loewe inspire stands out from the crowd."

computerbild.de, 06.07.2024 about inspire 55 dr+ Test result: 1.4 VFRY GOOD



"The Loewe inspire not only impresses with its exclusive design, but also with its picture quality and its built-in TV recorder. Operation, connections and setup & sound options are of a high standard."

hifi.de, 10.7.2024 about inspire 55 dr+ & klang bar i Test result: 9.2 VERY GOOD & 9.3 VERY GOOD



"The Loewe inspire 55 dr+ offers very good picture quality. It also combines the best of both worlds. Added to this are the high-quality workmanship and elegant design for which the Kronach-based manufacturer is known."

Satvision magazine, edition 08/2024 about inspire 55 dr+ Test result: 94,6% VERY GOOD



"The inspire breathes new life into the excellently designed and superbly crafted body of its predecessor, the bild i, with state-of-the-art chips and brilliant OLED panels."

connect.de, 31.7.2024 & connect magazine, edition 09/2024 about inspire 65 dr+ Test result: 914 points OUTSTANDING



"The Loewe inspire 65 dr+ is an exceptional OLED TV with a great picture, good sound, an extensive range of apps and exclusive features."

audiovision magazine, edition 09/2024 about inspire 55 dr+ Test result: 88 points VERY GOOD + HIGHLIGHT

^{*} predecessor model Loewe bild i

The individual all-rounder for smart streaming entertainment

TV

Screen diagonal (cm / inch): 164/65, 139/55, 121/48 Screen resolution (pixels): Ultra HD (3840×2160) EU energy efficiency class SDR / HDR: F/G, F/F, F/F

Power consumption max. (watts): 425, 300, 200 Power consumption standby (watts): 0,3 Energy consumption SDR / HDR (kWh/1000h): 100/104, 77/73, 58/58

Loewe inspire dr+

Scope of delivery includes TV set with HDD, invisible sound and table stand inspire 65 dr+: $W^* \times H \times PD / TD = 146,0 \times 86,8 \times 6,4 / 29,0$ inspire 55 dr+: $W^* \times H \times PD / TD = 123,6 \times 74,4 \times 6,4 / 29,0$ inspire 48 dr+: $W^* \times H \times PD / TD = 107,7 \times 65,4 \times 6,4 / 29,0$ table stand manually rotatable (+ / - 20°), hidden cable routing

	Model	Article	
asalt grey	inspire 65 dr+	62466	
	inspire 55 dr+	62464	
	inspire 48 dr+	62463	







Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.

* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

The individual all-rounder for smart streaming entertainment

Soundbar

Loewe klang bar i Passive soundbar for installation at Loewe inspire



Model klang bar i Article 59212







Subwoofer

Loewe klang sub1

Active wireless subwoofer to complement the TV



basalt grey klang sub1

The individual all-rounder for smart streaming entertainment

Setup solutions

Further options are possible. Your dealer will be happy to advise you.

Stand solutions

floor2ceiling stand

inspire 65 dr+: $W^* \times H \times PD / TD = 145,7 \times 220-290 \times 6,4 / 18,0$ inspire 55 dr+: W* x H x PD / TD = 123,6 x 220-290 x 6,4 / 17,5inspire 48 dr+: W* x H x PD / TD = 107,7 x 220-290 x 6,4 / 17,1manually rotatable (+/- 110°), hidden cable routing, height adjustable (220-290 cm), direct mounting - no adapter required

floor stand flex

inspire 65 dr+: W* x H x PD / TD = 145,7 x 128,9 x 6,4 / 54,0 inspire 55 dr+: W* x H x PD / TD = 123,6 x 116,5 x 6,4 / 54,0inspire 48 dr+: W* x H x PD / TD = 120,8 x 107,5 x 6,4 / 54,0manually rotatable (+/- 45°), hidden cable routing, with or without carrier for accessory tray or soundbar

floor stand universal

inspire 65 dr+: W* x H x PD / TD = 145,7 x 128,9 x 6,4 / 54,0inspire 55 dr+: W* x H x PD / TD = 123,6 x 116,5 x 6,4 / 54,0inspire $48 \text{ dr}+: W^* \times H \times PD / TD = 120,8 \times 107,5 \times 6,4 / 54,0$ manually rotatable (+/- 45°), hidden cable routing

spacer table stand i

inspire 65 dr+: B* x H x TP / TG = 146,0 x 92,8 x 6,4 / 29,0 inspire 55 dr+: $B^* \times H \times TP / TG = 123,6 \times 80,4 \times 6,4 / 29,0$ inspire 48 dr+: $B^* \times H \times TP / TG = 107,7 \times 71,4 \times 6,4 / 29,0$ table stand manually rotatable (+ / - 20°), for placing a klang bar under the display


Wall solutions

wall mount universal

inspire 65 dr+: $W^* \times H \times PD / TD = 145,7 \times 85,8 \times 6,4 / 10,1$ inspire 55 dr+: W* x H x PD / TD = 123,6 x 73,4 x 6,4 / 10,1inspire 48 dr+: $W^* \times H \times PD / TD = 107,7 \times 64,4 \times 6,4 / 10,1$ tiltable mounting

wall mount slim 432

inspire 65 dr+: $W^* \times H \times PD / TD = 146,0 \times 85,8 \times 6,4 / 8,4$ inspire 55 dr+: W* x H x PD / TD = 123,6 x 73,4 x 6,4 / 8,4inspire 48 dr+: $W^* \times H \times PD / TD = 107,7 \times 64,4 \times 6,4 / 8,4$ flat mounting



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.

* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

The individual all-rounder for smart streaming entertainment

System components

Loewe multi.room amp

Stereo amplifier for multiroom and home cinema installations with 1.200 watts total music power

black

Model Article

multi.room amp

61600

Loewe klang bar5 mr

5.1.2 Dolby Atmos soundbar with wireless subwoofer and 800 watts total music power



klang bar5 mr 60601

Loewe klang bar3 mr

3.1 Dolby Atmos soundbar with integrated subwoofer and 360 watts total music power



klang bar3 mr 60614

Loewe klang sub5

Any number of klang sub5 can be connected to a klang bar3 mr or klang bar5 mr at the same time



klang sub5 60603

Loewe klang mr5

Wireless active speakers with 180 watts for multichannel home cinema or multiroom audio



klang mr5 60606

Loewe klang mr3

Wireless active speakers with 150 watts for multichannel home cinema or multiroom audio



klang mr3 60605

Loewe klang mr1

Wireless active speakers with 30 watts as rear surround or for multiroom audio



klang mr1 60604

Loewe remote klang mr

Multifunctional IR remote control for Loewe klang mr and Loewe klang bar to operate all basic functions and sound settings



remote klang mr 74000

The individual all-rounder for smart streaming entertainment

Aditional Information

www.loewe.tv



my Loewe app



Your Loewe contact

We are happy to help personally.

Our Loewe Customer Care Center is here for you: Monday to Friday 09:00 – 17:00 o'clock ccc@loewe.de | 0049 9261 99 500

Your Loewe dealer

Technical Data

Loewe inspire	65 dr+	55 dr+	48 dr+
Image			,
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	800 / 120°
JItra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	•/•/•(incl. IQ PD)/•	• / • / • (incl. IQ PD) / •	•/•/•/•(incl. IQ PD)/•
Reception			
DVB-T2/C/S2 HD / Unicable / Dual Channel	•/•/—	•/•/—	•/•/—
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/• (incl. H.266)	•/•/• (incl. H.266)	•/•/•/• (incl. H.266)
DiSEgC / Sat over IP / DVB-C over IP / DVB radio	•/-/-/•	•/-/-/•	•/-/-/•
FV+ / Zattoo app / HD+ app	• (Live TV) / • / •	• (Live TV) / • / •	• (Live TV) / • / •
	(2.00 11), 0, 0	(2110 11)7 07 0	0 (2.00 1.7)7 07 0
Audio	0.40.40.00.40		
Output (ca. watts sine / music) / driver (active + passive)	2×10/2×20/2	2×10/2×20/2	2×10/2×20/2
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	— / • (invisible sound) / —	— / ● (invisible sound) / —	— / ● (invisible sound) / —
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume (AVC)	•/•	• / •	• / •
7-Band EQ / Dynamic Loudness	• / •	• / •	• / •
Operation and apps			
Loewe chassis / os / home screen / app store	SL8/os8/•/•	SL8/os8/•/•	SL8/os8/•/•
my Loewe app / smart apps (all: Android + iOS)	● / Vidaa app	✓ Vidaa app	✓ Vidaa app
Voice control: Alexa Skills / other	 / Vidaa voice 	 / Vidaa voice 	 / Vidaa voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•
Menu languages / Context related help	• 3C / •	• 3C / •	• 3C / •
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•	•/•/•
Multimedia			
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000/0/•	1.000 / ⊙ / ●	1.000/0/0
Loewe dr+: streaming server / client		-/•	-/•
Media player / DLNA renderer / web apps / browser	•/•/•	•/•/•/•	•/•/•/•
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•	•/•/•/•
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ 1.4 ECP certified	1/1/1	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	•/•/• (120 Hz)	•/•/• (120 Hz)	•/•/• (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•	•/•/•	•/•/•
JSB	4 (2 x USB 3.0)	4 (2 x USB 3.0)	4 (2 x USB 3.0)
JSB-A power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Miracast / AirPlay	•/•/•	•/•/•	•/•/•
_AN network connection / WLAN (Wi-Fi) / DTS Play-Fi	•/•/•	•/•/•	•/•/•
TOSLINK / center in / cube plug stereo	•/-/•	•/-/•	•// •
Audio out control: fix / variable / sub (3.5 mm jack)	•/•/•	•/•/•	•/•/•
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •	• (via IP) / • / •
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F(0,879)/G(0,914)	F(0,893)/F(0,847)	F (0,851) / F (0,848)
EPREL registration No.: https://eprel.ec.europa.eu	1993207	1993193	1653891
Mains voltages / Power switch / Off mode (watts)	220-240V, 50/60 Hz / — / n.a.	220-240V, 50/60 Hz / — / n.a.	220-240V, 50/60 Hz / — / n.a.
	220 240 V, 307 00 HZ7 — 7 H.d.	220 240 V, 307 00 1127 — 7 11.d.	220 240 V, 307 00 HZ7 — 7 H.d.
Dimensions			
Weight (ca. kg) excl. / incl. standard setup solution	29,2 / 35,2	22,8 / 28,8	15,5 / 21,5
W* x H x D (cm) without setup solution	146,0 x 86,8 x 6,4	123,6 x 74,4 x 6,4	107,7 x 65,4 x 6,4
W*x H x D (cm) incl. table stand (* incl. signature flag)	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support / Kensignton lock	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●
Scope of Delivery			
Speaker	invisible sound (in TV integrated)	invisible sound (in TV integrated)	invisible sound (in TV integrated)
Setup Solution / rotate-able	table stand i / ●	table stand i / ●	table stand i / ●
Remote control (incl. batteries)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)
Manual / power cord		/ ● (2,5 m, black)	/ ● (2,5 m, black)
Optional accessories			
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand flex	floor2ceiling stand, floor stand flex	floor2ceiling stand, floor stand flex
	wall mount slim 432, wall mount	wall mount slim 432, wall mount	wall mount slim 432, wall mount
	universal, klang bar5 mr,	universal, klang bar5 mr,	universal, klang bar3 mr, klang bar i,
	klang bar3 mr, klang bar i, klang sub1,	klang bar3 mr, klang bar i, klang sub1,	klang sub1, multi.room amp

ullet = available, ullet = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies, Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

¹ according to panel spec typ, values @ HDR 10%
300 en - de - fr - it - es - pt - nl - el - ru - cs - sk - sl - lt - lv - et - uk - pl - ro - hu - bg - sr - hr - sq - mk - sv - da - fi - no - tr - is - bs - be - kk

Technical Data

Loewe inspire	65 dr+ set	55 dr+ set	48 dr+ set
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164/65/1	139 / 55 / 1	121/48/1
Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	800 / 120°
Jitra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	•/•/•(incl. IQ PD)/•	• / • / • / • (incl. IQ PD) / •	•/•/•(incl. IQ PD)/•
Reception			
DVB-T2/C/S2 HD / Unicable / Dual Channel	•/•/—	•/•/—	•/•/—
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/• (incl. H.266)	•/•/• (incl. H.266)	•/•/• (incl. H.266)
DiSEgC / Sat over IP / DVB-C over IP / DVB radio	•/-/-/•	•/-/-/•	•/-/-/•
FV+ / Zattoo app / HD+ app	• (Live TV) / • / •	• (Live TV) / • / •	• (Live TV) / • / •
	C (Live I V) / C / C	C (EIVE IV) / C/ C	C (EIVE I V) / C/ C
Audio			
Output (ca. watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8
Acoustic speaker concept	klang bar i	klang bar i	klang bar ii
Front firing / down firing / 2-channel crossover	•/-/•	•/-/•	•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume (AVC)	•/•	•/•	• / •
'-Band EQ / Dynamic Loudness	•/•	•/•	• / •
Operation and apps			
oewe chassis / os / home screen / app store	SL8/os8/•/•	SL8/os8/•/•	SL8/os8/•/•
my Loewe app / smart apps (all: Android + iOS)	• / Vidaa app	• / Vidaa app	• / Vidaa app
/oice control: Alexa Skills / other	• / Vidaa voice	• / Vidaa voice	• / Vidaa voice
EPG / Number of stations in channel list	•/10.000	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•
Menu languages / Context related help	• 3C / •	• 3C / •	• 3C / •
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•	•/•/•
Multimedia			
	1.000/o/•	1.000/o/•	1.000/0/•
Loewe dr+: storage capacity (GB) / USB recording / timeshift		-/•	-/•
Loewe dr+: streaming server / client Media player / DLNA renderer / web apps / browser		•/•/•/•	•/•/•/•
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•	•/•/•/•
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ 1.4 ECP certified	1/1/1	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	•/•/• (120 Hz)	●/●/● (120 Hz)	•/•/• (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•	•/•/•
JSB	4 (2 x USB 3.0)	4 (2 x USB 3.0)	4 (2 x USB 3.0)
	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
USB-A power Bluetooth / Miracast / AirPlay	•/•/•	•/•/•	•/•/•
Bluetooth / Miracast / AirPlay AN network connection / WLAN (Wi-Fi) / DTS Play-Fi	•/•/•	•/•/•	•/•/•
Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo	•/•/• •/•/• •/-/•	•/•/•	•/•/• •/-/•
Bluetooth / Miracast / AirPlay _AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack)	0/0/0 0/0/0 0/-/0 0/0/0	•/•/• •/-/• •/•/•	•/•/• •/-/• •/•/•
Bluetooth / Miracast / AirPlay _AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack)	•/•/• •/•/• •/-/•	•/•/•	•/•/• •/-/•
Bluetooth / Miracast / AirPlay _AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron	0/0/0 0/0/0 0/-/0 0/0/0	•/•/• •/-/• •/•/•	•/•/• •/-/• •/•/•
Bluetooth / Miracast / AirPlay _AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron	•/•/• •/•/• •//• •/•/• •(via IP)/•/•	•/•/• •/-/• •/•/• •(via IP)/•/•	•/•/• •/-/• •/•/•
Bluetooth / Miracast / AirPlay AN network connection / WLAN (Wi-Fi) / DTS Play-Fi FOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI)	•/•/• •/•/• •//• •/•/• •(via IP)/•/• via inspire 65 dr+	•/•/• •/-/• •/•/•	•/•/• •//• •/•/• •(via IP)/•/• via inspire 48 dr+
Bluetooth / Miracast / AirPlay AN network connection / WLAN (Wi-Fi) / DTS Play-Fi FOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy Eu energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu	•/•/• •/•/• •//• •/•/• •(via IP)/•/•	• / • / • • / - / • • / • / • • (via IP) / • / • via inspire 55 dr+	•/•/• •/-/• •/•/• •(via IP)/•/•
Bluetooth / Miracast / AirPlay AN network connection / WLAN (Wi-Fi) / DTS Play-Fi FOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts)	• / • / • • / • / • • / • / • • / • /	• / • / • • / • / • • (via IP) / • / • via inspire 55 dr+ via inspire 55 dr+	• / • / • • / − / • • / • / • • (via IP) / • / • via inspire 48 dr+ via inspire 48 dr+
Bluetooth / Miracast / AirPlay AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions	o/o/o o/o/o o/o/o o/o/o o(via IP)/o/o via inspire 65 dr+ via inspire 65 dr+ 220-240V, 50/60 Hz / − / n.a.	• / • / • / • • / • / • • (via IP) / • / • via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz / − / n.a.	•/•/• •/-/• •(via IP)/•/• via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a.
Bluetooth / Miracast / AirPlay _AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) _PREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution	• / • / • • / • / • • / • / • • / • / • • (via IP) / • / • via inspire 65 dr + via inspire 65 dr + 220-240V, 50/60 Hz / − / n.a. 31,1/37,1	•/•/• •/-/• •/•/• •(via IP)/•/• via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz / — / n.a.	•/•/• •/-/• •/•/• •(via IP)/•/• via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a.
Bluetooth / Miracast / AirPlay AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution	•/•/• •/•/• •//• •/•/• •(via IP)/•/• via inspire 65 dr+ via inspire 65 dr+ 220-240V, 50/60 Hz / — / n.a. 31,1/37,1 146,0 x 86,8 x 6,4	•/•/• •/-/• •/•/• •(via IP)/•/• via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz / − / n.a.	•/•/• •/-/• •/•/• •(via IP)/•/• via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a. 17.4 / 23.4 107.7 x 65.4 x 6.4
Bluetooth / Miracast / AirPlay AN network connection / WLAN (Wi-Fi) / DTS Play-Fi FOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag)	•/•/• •/•/• •//• •//• •(via IP)/•/• via inspire 65 dr+ via inspire 65 dr+ 220-240V, 50/60 Hz/-/n.a. 31,1/37,1 146,0 x 86,8 x 6,4 146,0 x 88,3 x 29,0	•/•/• •/-/• •/•/• •(via IP)/•/• via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz/-/n.a. 24,7/30,7 123,6 x 74,4 x 6,4 123,6 x 75,9 x 29,0	•/•/• •/-/• •/•/• •(via IP)/•/• via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a. 17.4 / 23.4 107.7 x 65.4 x 6.4 107.7 x 66.9 x 29.0
Bluetooth / Miracast / AirPlay AN network connection / WLAN (Wi-Fi) / DTS Play-Fi FOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) //ESA support / Kensignton lock	•/•/• •/•/• •//• •/•/• •(via IP)/•/• via inspire 65 dr+ via inspire 65 dr+ 220-240V, 50/60 Hz / — / n.a. 31,1/37,1 146,0 x 86,8 x 6,4	•/•/• •/-/• •/•/• •(via IP)/•/• via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz / − / n.a.	•/•/• •/-/• •/•/• •(via IP)/•/• via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a. 17.4 / 23.4 107.7 x 65.4 x 6.4
Bluetooth / Miracast / AirPlay AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions W* X H x D (cm) without setup solution W* X H x D (cm) without setup solution W* X H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery	•/•/• •/•/• •//• •//• •(via IP)/•/• via inspire 65 dr+ via inspire 65 dr+ 220-240V, 50/60 Hz/-/n.a. 31,1/37,1 146,0 x 86,8 x 6,4 146,0 x 88,3 x 29,0 300 x 200 / •	•/•/• •/-/• •/•/• •(via IP)/•/• via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz / — / n.a. 24,7 / 30,7 123,6 x 74,4 x 6,4 123,6 x 75,9 x 29,0 300 x 200 / •	•/•/• •/-/• •/•/• •(via IP)/•/• via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a. 17.4 / 23.4 107.7 x 65.4 x 6.4 107.7 x 66.9 x 29.0 300 x 200 / •
Bluetooth / Miracast / AirPlay AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Wains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) //ESA support / Kensignton lock Scope of Delivery Speaker		•/•/• •/-/• •/•/• •(via IP)/•/• via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz/—/n.a. 24.7/30.7 123,6 x 74,4 x 6,4 123,6 x 75,9 x 29,0 300 x 200/• klang bar i (in extra carton)	• / • / • • / - / • • / • / • • (via IP) / • / • via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / - / n.a. 17,4 / 23,4 107,7 × 65,4 × 6,4 107,7 × 66,9 × 29,0 300 × 200 / • klang bar i (in extra carton)
Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) vESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able	• / • / • • / • / • • / • / • • / • / • • / • / • • (via IP) / • / • via inspire 65 dr+ via inspire 65 dr+ 220-240V, 50/60 Hz / — / n.a. 31,1 / 37,1 146,0 x 86,8 x 6,4 146,0 x 88,3 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / •	• / • / • / • • / - / • • / • / • • (via IP) / • / • via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz / - / n.a. 24,7 / 30,7 123,6 x 74,4 x 6,4 123,6 x 75,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / •	•/•/• •/-/• •/-/• •(via IP)/•/• via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a. 17,4 / 23,4 107,7 x 65,4 x 6,4 107,7 x 66,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / •
Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)	• / • / • • / • / • • / • / • • / • / • • / • / • • (via IP) / • / • via inspire 65 dr + via inspire 65 dr + 220-240V, 50/60 Hz / − / n.a. 31,1/37,1 146,0 x 86,8 x 6,4 146,0 x 88,3 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / • Loewe remote alu silver (2x AAA)	• / • / • / • / • / • / • / • / • / • /	•/•/• •/-/• •/-/• •(via IP)/•/• via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a. 17,4 / 23,4 107,7 x 65,4 x 6,4 107,7 x 66,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / • Loewe remote alu silver (2x AAA)
Bluetooth / Miracast / AirPlay AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy Eu energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) //ESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)	• / • / • • / • / • • / • / • • / • / • • / • / • • (via IP) / • / • via inspire 65 dr+ via inspire 65 dr+ 220-240V, 50/60 Hz / — / n.a. 31,1 / 37,1 146,0 x 86,8 x 6,4 146,0 x 88,3 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / •	• / • / • / • • / - / • • / • / • • (via IP) / • / • via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz / - / n.a. 24,7 / 30,7 123,6 x 74,4 x 6,4 123,6 x 75,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / •	•/•/• •/-/• •/-/• •(via IP)/•/• via inspire 48 dr+ via inspire 48 dr+ 220-240V,50/60 Hz/—/n.a. 17,4 / 23,4 107,7 x 65,4 x 6,4 107,7 x 66,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / •
Bluetooth / Miracast / AirPlay _AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Adudio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord	• / • / • • / • / • • / • / • • / • / • • / • / • • (via IP) / • / • via inspire 65 dr + via inspire 65 dr + 220-240V, 50/60 Hz / − / n.a. 31,1/37,1 146,0 x 86,8 x 6,4 146,0 x 88,3 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / • Loewe remote alu silver (2x AAA)	• / • / • / • / • / • / • / • / • / • /	•/•/• •/-/• •/-/• •(via IP)/•/• via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a. 17,4 / 23,4 107,7 x 65,4 x 6,4 107,7 x 66,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / • Loewe remote alu silver (2x AAA)
Bluetooth / Miracast / AirPlay _AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) - Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Dptional accessories		• / • / • / • • / - / • • / - / • • (via IP) / • / • via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz / - / n.a. 24,7 / 30,7 123,6 x 74,4 x 6,4 123,6 x 75,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / • Loewe remote alu silver (2x AAA) • / • (2,5 m, black)	•/•/• •/-/• •/-/• •(via IP)/•/• via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a. 17,4 / 23,4 107,7 x 65,4 x 6,4 107,7 x 66,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / • Loewe remote alu silver (2x AAA) •/• (2,5 m, black)
Bluetooth / Miracast / AirPlay AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy Eu energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) //ESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Detional accessories		• / • / • / • • / - / • • / - / • • (via IP) / • / • via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz / - / n.a. 24,7 / 30,7 123,6 x 74,4 x 6,4 123,6 x 75,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / • Loewe remote alu silver (2x AAA) • / • (2,5 m, black)	• / • / • • / • / • • / • / • • / • / • • (via IP) / • / • via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a. 17,4 / 23,4 107,7 x 65,4 x 6,4 107,7 x 66,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / • Loewe remote alu silver (2x AAA) • / • (2,5 m, black)
Bluetooth / Miracast / AirPlay _AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)		• / • / • / • • / • / • • / • / • • / • / • • (via IP) / • / • via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz / — / n.a. 24,7 / 30,7 123,6 x 74,4 x 6,4 123,6 x 75,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / • Loewe remote alu silver (2x AAA) • / • (2,5 m, black) floor2ceiling stand, floor stand flex wall mount slim 432, wall mount	• / • / • • / • / • • / • / • • / • / • • (via IP) / • / • via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a. 17,4 / 23,4 107,7 × 65,4 × 6,4 107,7 × 66,9 × 29,0 300 × 200 / • klang bar i (in extra carton) table stand i / • Loewe remote alu silver (2x AAA) • / • (2,5 m, black) floor2ceiling stand, floor stand flex wall mount slim 432, wall mount
Bluetooth / Miracast / AirPlay _AN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) - Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Dptional accessories		• / • / • / • • / - / • • / - / • • (via IP) / • / • via inspire 55 dr+ via inspire 55 dr+ 220-240V, 50/60 Hz / - / n.a. 24,7 / 30,7 123,6 x 74,4 x 6,4 123,6 x 75,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / • Loewe remote alu silver (2x AAA) • / • (2,5 m, black)	• / • / • • / • / • • / • / • • / • / • • (via IP) / • / • via inspire 48 dr+ via inspire 48 dr+ 220-240V, 50/60 Hz / — / n.a. 17,4 / 23,4 107,7 x 65,4 x 6,4 107,7 x 66,9 x 29,0 300 x 200 / • klang bar i (in extra carton) table stand i / • Loewe remote alu silver (2x AAA) • / • (2,5 m, black)

ullet = available, ullet = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies, Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

¹ according to panel spec typ, values @ HDR 10%
300 en - de - fr - it - es - pt - nl - el - ru - cs - sk - sl - lt - lv - et - uk - pl - ro - hu - bg - sr - hr - sq - mk - sv - da - fi - no - tr - is - bs - be - kk