

SPEAKER | SOUNDBAR | SUBWOOFER

VSSL introduces the latest in-home audio enjoyment with the SX series - a wireless 5.1-channel configuration utilizing the latest technology in audio to bring your TV and music to life. The SX Series is designed to bring the movie theater and music concert experience directly to your home. The system is sleek and powerful - with a soundbar, subwoofer, and 2 surround sound speakers enveloping you in your sound experience. Although this system is made to seamlessly work together - the SX speakers, subwoofer, and soundbar can also be utilized individually. The SX Series utilizes many of the other features of our VSSL devices - such as Airplay 2 and Siri, Chromecast Built-In and Google Assistant, Alexa Cast and Alexa, Spotify Connect, Bluetooth; and more!





- Dolby Digital Certified.
- Wirelessly pair an SX Soundbar with 2 or 4 SX speakers and an SX Sub to create an expandable 5.1 surround sound experience.
- Wirelessly pair an SX Soundbar with any amp and in-ceiling speakers via the SX Sync for in-ceiling Dolby Digital surrounds.
- 3" BMR Drivers Balanced Mode Radiators (BMRs) combine bending wave mode technology with pistonic motion to create full audio range, wide directivity speaker drivers for crystal clear highs and lows.
- Native Streaming is the simplest way to stream your music to your audio system. Stream from apps you already know. No 3rd party apps necessary. Airplay 2, Google Cast, Spotify Connect.
- Compatible with Google Assistant and Siri voice control.
- HDMI eARC/ARC Compatible (Optical as well).
- Single RCA LFE output connection for use with hardlined 3rd party subwoofers.

SPECIFICATIONS







- Wirelessly pair 2 4 speakers with an SX Soundbar and an SX Subwoofer to create an expandable 5.1 surround sound experience.
- Wirelessly pair the combination of up to 8 SX Speakers and SX Subwoofers for stereo audio content.
- 3" BMR Driver Balanced Mode Radiators (BMR) combines bending wave mode technology with pistonic motion to create a full audio range, wide directivity speaker driver for crystal clear highs and lows.
- Native Streaming is the simplest way to stream your music to your audio system. Stream from apps you already know. No 3rd party apps necessary. Airplay 2, Google Cast, Spotify Connect.
- Compatible with Google Assistant and Siri voice control
- Using a wall bracket with the built-in universal 1/4"-20 thread, mount not included)



VSSL.

SPECIFICATIONS

Woofer:	Wide dispersion BMR 4" Active down-firing Turn two speakers into separate left	Wireless Connectivity:	Connects to WiFi network with any 802.11 a/b/g/n, 2.4 or 5GHz broadcast-capable router
Stereo Pair.	and right channel speakers	Equalization:	Basic EQ settings
Group Audio:	Combine up to 8 speakers + subs for a single	Ethernet Ports:	
	zone of audio	Power Supply:	
Home Theater:	Add two or four SX Speakers as surrounds		universal input
	to an SX soundbar	Weight:	4.6lbs
Stream:	Compatible with Airplay 2. Google Cast,	Dimensions:	H: 7.95" (202mm) x W: 5.70" (145mm) x
	and Spotify Connect		D: 5.86" (149mm)
Voice:	Compatible with Siri and Google Assistant	Operating Temperature:	32° to 104°F (0°-40° C)
		Multiple Orientations:	Tabletop or wall mounted with 0.25"-20 thread universal mount



- 10" Fiberglass Driver
- Wirelessly pair with an SX Soundbar and 2 4 SX Speakers to create an expandable 5.1 surround sound experience.
- The SX Subwoofer's versatile profile allows it to be installed horizontally (fits under furniture) or vertically (sturdy subwoofer stand included), seamlessly blending into any environment.
- Single RCA LFE input connection for use with hardlined 3rd party amps/soundbars.



SPECIFICATIONS

Amplifier: Woofer: Dual Acoustic Ports: Freq. Response: All Digital Sound:

Class-D digital amplifier 10" Honeycomb Tuned to enhance subwoofer performance 25Hz All filter settings, active FO, and time

All filter settings, active EQ, and time alignment are done digitally through DSP circuitry for zero-loss audio quality and energy Basic EQ settings

Equalization: Wireless Connectivity:

Connects to any SX Soundbar or SX Speaker

Power Supply:

Weight: Dimensions:

Operating Temperature: Multiple Orientations: Connects to any SX Soundbar or SX Speaker Auto-switching 100-240V ~50-60Hz 2 A AC universal input 29.8lbs L: 21.65" (550mm) x W: 16.96" (431mm) x H: 4.37" (111mm) 32° to 104°F (0°-40° C) Upright in stand (included) or lay flat (built-in rubber feet)

VSSL





- Connects to SX Soundbar wirelessly (SX Soundbar is required)
- L+R RCA outputs to create Surround Sound 5.1 system rear speakers
- Works with any amplifier that uses RCA Inputs



SPECIFICATIONS

Required Product:	SX Soundbar, Amplifier, In-Ceiling Speakers, VSSL Mobile App
Equalization:	Basic EQ Settings
Analog Inputs:	Dual RCA cable connects to SX Sync line-level
	Output
Antennas:	Single band, omni-directional radio antennas
	(required in order to function)
Power Supply:	5v / 1A USB Type-C power jack

Content:

0

0

5V == 1A

Range: Wireless Connectivity: Dimensions:

Weight: Operating Temperature: Package Contents:

Plays left and right rear Dolby Digital surround 5.1 and 2.0 PCM audio content 320 ft (line of sight) Connects to SX soundbar via RF L: 3.75" (95.25mm) x W: 3.875" (98.43mm) x 3.75" (95.25mm) 0.35 lbs 32° to 10°F (0-40°C) SX Sync, Power Adapter, Power Cord, Antennas